



EST. 2000

# STONE UK

MASTERS OF BRITISH STONE



CORE PRODUCT BROCHURE  
2026 COLLECTION

# WHAT MAKES OUR CORE STONE COLLECTIONS SO SPECIAL?

At Stone UK, our five signature collections – Reclaimed, Reclaimed Cathedral, Bronte, Abbeystead, and Fairfield all reflect our commitment to quality, heritage, and sustainability.

## Locally Sourced, British Stone

Each collection features natural stone exclusively sourced from within the UK, ensuring authenticity, exceptional quality, and a reduced environmental footprint. Supporting British quarries means supporting local communities and responsible sourcing.

## Expertly Handcrafted

Every stone in our collections is shaped by the hands of skilled artisans at Stone UK. By combining traditional craftsmanship with modern techniques, we create walling, cladding, setts & paving solutions that are not only visually stunning but also built to last.

## Sustainably Made

Our use of British stone means less transport, lower emissions, and a smaller environmental impact. Choosing any of our core collections is a sustainable choice that aligns with modern building values and green design principles.

Whether you're drawn to the heritage of Reclaimed, the refined edge of Reclaimed Cathedral, the warm tones of Bronte, the soft elegance of Abbeystead, or the sleek durability of Fairfield, each collection offers a unique expression of British stone.





# RECLAIMED

The Reclaimed collection showcases character-rich stones salvaged from historic buildings across the UK, offering varied textures and colours that celebrate heritage and authenticity. Perfect for adding nostalgic charm to patios, walkways, and feature walls.



## RECLAIMED CHARACTER GRADE YORKSTONE PAVING

Available  
Formats

### **Random Rectangular**

- Random x Random x 25-35mm / 40-65mm

### **Mixed Coursed Widths**

- Mixed Coursed Widths x 25-35mm / 40-65mm

Character  
Grade

Higher variations in colour tones & a mix of textures





## RECLAIMED SELECT GRADE YORKSTONE PAVING

Available  
Formats

### **Random Rectangular**


- Random x Random x 25-35mm / 40-65mm

### **Mixed Coursed Widths**

- Mixed Coursed Widths x 25-35mm / 40-65mm

Select Grade

More uniform colour & smoother texture variations





## RECLAIMED YORKSTONE SETTS

Format

- Random Lengths x Random Widths x approx. 50mm thick

Finish

- Naturally weathered texture with a variation in colour tones





## RECLAIMED GRANITE OBLONGS

Format

- Random Lengths x Random Widths x approx. 60-70mm thick
- 100mm x 200mm x 100mm

Finish

- Naturally weathered texture with a variation in colour tones





## RECLAIMED GRANITE CUBES

Format | 100mm x 100mm x 50mm thick approx.  
100mm x 100mm x 100mm

Finish | Naturally weathered texture with a variation  
in colour tones






# RECLAIMED RANDOM RECTANGULAR STONE WALLING & CLADDING

- |        |  |
|--------|--|
| Format | <b>Walling</b> <ul style="list-style-type: none"><li>• Random Lengths x Random Widths x 100mm (backed off)</li></ul> |
| Finish | <ul style="list-style-type: none"><li>• Tumbled</li></ul>  |

- |        |  |
|--------|--|
| Format | <b>Cladding</b> <ul style="list-style-type: none"><li>• Random Lengths x Random Widths x 20-30mm thick</li></ul> |
| Finish | <ul style="list-style-type: none"><li>• Tumbled</li></ul>  |


**CORNERS AVAILABLE**





## RECLAIMED NATURAL COURSED STONE WALLING

Format	50-150mm x Random Lengths x 100mm (backed off)
Finish	Naturally weathered texture with a variation in colour tones






## RECLAIMED BARN STONE WALLING & CLADDING

Format	<b>Walling</b> <ul style="list-style-type: none"><li>• Random x 100mm thick approx.</li></ul>
Finish	<ul style="list-style-type: none"><li>• Tumbled</li></ul>

Format	<b>Cladding</b> <ul style="list-style-type: none"><li>• Random x 20-30mm thick</li></ul>
Finish	<ul style="list-style-type: none"><li>• Tumbled</li></ul>

**CORNERS AVAILABLE**



# RECLAIMED

Stone salvaged from historic UK buildings, featuring natural patina, rich texture, and varied tones from greys to warm browns. Ideal for patios, paths, and rustic feature walls with genuine aged appeal.

## Key Features

- **Source:** Salvaged from historic UK buildings
- **Colour Range:** Mixed tones – greys, browns, buffs, light greens & blues
- **Texture:** Varied, weathered, naturally aged
- **Finish:** Original surfaces, irregular edges
- **Typical Uses:** Patios, garden paths, feature walls
- **Style Notes:** High heritage value, rustic charm

## Disclaimer

All our natural stone materials are products of nature and may vary in colour, texture, veining, and other natural characteristics. These variations are inherent and contribute to the uniqueness of each piece. While we take care to provide accurate representations, differences may occur between samples, photographs, and actual products. Natural stone may also contain pits, fissures, or other surface irregularities that do not affect its structural integrity. Materials are sold as is, without warranties – express or implied – regarding durability, suitability, or performance. Customers are encouraged to inspect materials (see photos in the brochure) before purchase and assume all risks associated with their use. If you require additional images of the materials, please contact us.



Dry



Wet

# RECLAIMED CATHEDRAL

The Reclaimed Cathedral collection blends the charm of reclaimed stone with a modern twist - featuring carefully sliced surfaces for a smooth, refined look that preserves the material's original character. Ideal for both residential and commercial spaces seeking a balance of rustic and contemporary style.



## RECLAIMED CATHEDRAL SMOOTH YORKSTONE PAVING

Available  
Formats

### **Random Rectangular**


- Random x Random x 25-35 / 40-60mm

### **Mixed Coursed Widths**

- Mixed Coursed Widths x 25-35 / 40-60mm

Available  
Finishes

- Smooth
- Smooth & Weathered





# RECLAIMED CATHEDRAL YORKSTONE SETTS

- |        |   |
|--------|---|
| Format | • Random Lengths x Random Widths x 50mm thick approx. |
| Finish | • Smooth surface with tumbled edges                   |



# RECLAIMED CATHEDRAL

Carefully sliced reclaimed stone offering smoother surfaces while retaining original markings and colour variation. Suits both traditional and modern spaces, indoors or out.

## Key Features


- **Source:** Salvaged from historic UK buildings
- **Colour Range:** Natural reclaimed tones – muted greys, browns, buffs, blues & greens
- **Texture:** Smoother than traditional reclaimed, flatter surface
- **Finish:** Sawn surface
- **Typical Uses:** Residential interiors/exteriors, commercial spaces
- **Style Notes:** Blends traditional character with modern finish

## Disclaimer

All our natural stone materials are products of nature and may vary in colour, texture, veining, and other natural characteristics. These variations are inherent and contribute to the uniqueness of each piece. While we take care to provide accurate representations, differences may occur between samples, photographs, and actual products. Natural stone may also contain pits, fissures, or other surface irregularities that do not affect its structural integrity. Materials are sold as is, without warranties – express or implied – regarding durability, suitability, or performance. Customers are encouraged to inspect materials (see photos in the brochure) before purchase and assume all risks associated with their use. If you require additional images of the materials, please contact us.



Dry



Wet

# BRONTE

Our Bronte Yorkstone features a classic buff-grey tone, adding texture and visual interest to any project. Strong and reliable, it's well-suited for a variety of uses ranging from stone walling to paving projects. Its timeless appeal makes it a popular choice for both heritage and modern builds.



# BRONTE YORKSTONE PAVING

Available  
Formats

**Random Rectangular (Only Available for Cathedral)**


- Random x Random x 30 / 40mm

**Mixed Coursed Widths**

- 400, 500, 600mm x Random Lengths x 20 / 30 / 40mm

Available  
Finishes

- Sawn
- Antiqued Edge
- Cathedral (Only available in 30mm or 40mm)





## BRONTE RIVEN PAVING

Available  
Formats

### Random Rectangular


- Random x Random x 20-30 / 40-60mm

### Mixed Coursed Widths

- 400, 500, 600mm x Random Lengths x 20-30 / 40-60mm

Available  
Finishes

- Riven






## BRONTE YORKSTONE SETTS


### Available Formats

- 100 x 100 mm x 20 / 30 / 40mm (Sawn only)
- 100 x 200mm x 20 / 30 / 40mm (Sawn only)
- 100 x Random lengths (max 250mm) x 20 / 30mm (Tumbled)
- 150 x Random lengths (max 350mm) x 20 / 30mm (Tumbled)
- 200 x Random lengths (max 450mm) x 20 / 30mm (Tumbled)

### Available Finishes

- Sawn
- Tumbled





## BRONTE RIVEN TUMBLED SETTS

Available  
Formats

- 150mm x Random Lengths x 40-60mm
- 200mm x Random Lengths x 40-60mm

Finish

- Tumbled





# BRONTE NATURAL DRYSTONE WALLING & CLADDING

Available  
Formats

## Walling

- Random x Random Lengths x 100mm (Backed off)

Finish

- Tumbled

Format


## Cladding

- Random x Random Lengths x 20-30mm

Finish

- Tumbled

**CORNERS AVAILABLE**



# BRONTE

Our Bronte Yorkstone features a classic buff-grey tone, adding texture and visual interest to any project. Strong and reliable, it's well-suited for a variety of uses ranging from stone walling to paving projects. Its timeless appeal makes it a popular choice for both heritage and modern builds.

## Key Features


- **Source:** UK
- **Material:** Sandstone
- **Colour Range:** Grey, sandy beige, warm buff
- **Typical Uses:** Patios, feature walls, interior & exterior floors
- **Style Notes:** Warm, varied tones suited to mixed design styles

## Disclaimer

All our natural stone materials are products of nature and may vary in colour, texture, veining, and other natural characteristics. These variations are inherent and contribute to the uniqueness of each piece. While we take care to provide accurate representations, differences may occur between samples, photographs, and actual products. Natural stone may also contain pits, fissures, or other surface irregularities that do not affect its structural integrity. Materials are sold as is, without warranties – express or implied – regarding durability, suitability, or performance. Customers are encouraged to inspect materials (see photos in the brochure) before purchase and assume all risks associated with their use. If you require additional images of the materials, please contact us.



Dry



Wet

# ABBEYSTEAD

Our Abbeystead British Yorkstone is a striking buff-toned stone enhanced with natural orange veining, offering a warm, distinctive aesthetic. Durable and versatile, it's ideal for a wide range of applications including building stone for cills and lintels, paving, walling, and stone cladding. Its unique character and strength make it a perfect choice for both traditional and contemporary designs.



# ABBEYSTEAD YORKSTONE PAVING

Available  
Formats

**Random Rectangular (Only Available for Cathedral)**


- Random x Random x 40mm


**Mixed Coursed Widths**

- 400, 500, 600mm x Random Lengths x 30 / 40mm

Available  
Finishes

- Sawn
- Antiqued Edge
- Cathedral (Only available in 40mm)






## ABBEYSTEAD YORKSTONE SETTS

### Available Formats

- 100 x 100 mm x 20 / 30 / 40mm (Sawn only)
- 100 x 200mm x 20 / 30 / 40mm (Sawn only)
- 100 x Random lengths (max 250mm) x 20 / 30mm (Tumbled)
- 150 x Random lengths (max 350mm) x 20 / 30mm (Tumbled)
- 200 x Random lengths (max 450mm) x 20 / 30mm (Tumbled)

### Available Finishes


- Sawn
- Tumbled





# ABBEYSTEAD NATURAL FACE YORKSTONE SETTS

- |                       |   |
|-----------------------|---|
| Format                | • 140mm x Random Lengths x 50mm thick approx. |
| Available<br>Finishes | • Tumbled<br>• Tumbled & Weathered            |





# ABBEYSTEAD BARNSTONE NATURAL CLADDING


Format

- Random Mixed  
Sizes x 25-30mm

Finish

- Tumbled

**CORNERS AVAILABLE**





# ABBEYSTEAD BARNSTONE RUSTIC CLADDING



Format

- Random Mixed  
Sizes x 25-30mm

**CORNERS AVAILABLE**

Finish

- Tumbled





# ABBEYSTEAD BARNSTONE RUSTIC MIX CLADDING


Format

- Random Mixed  
Sizes x 25-30mm

**CORNERS AVAILABLE**

Finish

- Tumbled





# ABBEYSTEAD RANDOM RECTANGULAR CLADDING


Format

- Random Rectangular  
x Random Lengths x  
25-30mm

**CORNERS AVAILABLE**

Finish

- Tumbled





# ABBEYSTEAD RANDOM COURSED NATURAL CLADDING


Format

- Random Natural  
Courses x 25-30mm

**CORNERS AVAILABLE**

Finish

- Tumbled



# ABBEYSTEAD

Our Abbeystead British Yorkstone is a striking buff-toned stone enhanced with natural orange veining, offering a warm, distinctive aesthetic. Durable and versatile, it's ideal for a wide range of applications including building stone for cills and lintels, paving, walling, and stone cladding. Its unique character and strength make it a perfect choice for both traditional and contemporary designs.

## Key Features

- **Source:** UK
- **Material:** Sandstone
- **Colour Range:** Buff, soft creams and pale golds
- **Typical Uses:** Terraces, paths, garden structures
- **Style Notes:** Clean, soft aesthetic for traditional or modern spaces

## Disclaimer

All our natural stone materials are products of nature and may vary in colour, texture, veining, and other natural characteristics. These variations are inherent and contribute to the uniqueness of each piece. While we take care to provide accurate representations, differences may occur between samples, photographs, and actual products. Natural stone may also contain pits, fissures, or other surface irregularities that do not affect its structural integrity. Materials are sold as is, without warranties – express or implied – regarding durability, suitability, or performance. Customers are encouraged to inspect materials (see photos in the brochure) before purchase and assume all risks associated with their use. If you require additional images of the materials, please contact us.



Dry



Wet

# FAIRFIELD

Our Fairfield British Yorkstone is a premium grey-blue toned stone, offering a cool, elegant finish with a refined appearance. Exceptionally strong and hard-wearing, it is perfectly suited for paving projects, providing both durability and timeless style.



# FAIRFIELD YORKSTONE PAVING

Available  
Formats

**Random Rectangular (Only Available for Cathedral)**


- Random x Random x 30 / 40mm

**Mixed Coursed Widths**

- 400, 500, 600mm x Random Lengths x 20 / 30 / 40mm

Available  
Finishes

- Sawn
- Antiqued Edge
- Cathedral (Only available in 30 & 40mm)





## FAIRFIELD SAWN YORKSTONE SETTS

### Available Formats

- 100 x 100 mm x 20 / 30 / 40mm (Sawn only)
- 100 x 200mm x 20 / 30 / 40mm (Sawn only)
- 100 x Random lengths (max 250mm) x 20 / 30mm (Tumbled)
- 150 x Random lengths (max 350mm) x 20 / 30mm (Tumbled)
- 200 x Random lengths (max 450mm) x 20 / 30mm (Tumbled)

### Available Finishes

- Sawn
- Tumbled





## FAIRFIELD GREY RIVEN YORKSTONE SETTS

- |        |  |
|--------|--|
| Format | • 150 / 200mm x Random Lengths x 40-60mm |
| Finish | • Riven Tumbled                          |





# FAIRFIELD DRYSTONE WALLING & CLADDING

Available  
Formats

## Walling

- Random x Random Lengths x 100mm (Backed off)

Finish

- Tumbled

Format


## Cladding

- Random x Random Lengths x 20-30mm

Finish

- Tumbled

**CORNERS AVAILABLE**



# FAIRFIELD

Our Fairfield British Yorkstone is a premium grey-blue toned stone, offering a cool, elegant finish with a refined appearance. Exceptionally strong and hard-wearing, it is perfectly suited for paving projects, providing both durability and timeless style.

## Key Features

- **Source:** UK
- **Material:** Sandstone
- **Colour Range:** Mid-grey with silvery and subtle green tones.
- **Typical Uses:** Patios, driveways, cladding
- **Style Notes:** Neutral, understated; suits a wide range of architectural styles

## Disclaimer

All our natural stone materials are products of nature and may vary in colour, texture, veining, and other natural characteristics. These variations are inherent and contribute to the uniqueness of each piece. While we take care to provide accurate representations, differences may occur between samples, photographs, and actual products. Natural stone may also contain pits, fissures, or other surface irregularities that do not affect its structural integrity. Materials are sold as is, without warranties – express or implied – regarding durability, suitability, or performance. Customers are encouraged to inspect materials (see photos in the brochure) before purchase and assume all risks associated with their use. If you require additional images of the materials, please contact us.



Dry



Wet

01995 600 551

stoneuk.com

info@stoneuk.com

HQ: South Planks Farm, Preston, PR3 5AB



EST. 2000

STONE UK  
MASTERS OF BRITISH STONE